

The `latex2pydata` package

Geoffrey M. Poore

`gpoore@gmail.com`

`github.com/gpoore/latex2pydata/tree/main/latex`

v0.5.0 from 2025/03/03

Abstract

`latex2pydata` is a \LaTeX package for writing data to file using `Python` literal syntax. The data may then be loaded safely in `Python` using the `ast.literal_eval()` function or the `latex2pydata` `Python` package.

The original development of this package was funded by a [TeX Development Fund grant](#) from the [TeX Users Group](#). `latex2pydata` is part of the 2023 grant for improvements to the `minted` package.

Contents

1	Introduction	3
2	Example	3
3	Design considerations	3
4	Usage	4
4.1	Errors	4
4.2	File handling	5
4.3	Metadata	6
4.4	Writing list and dict delimiters	7
4.5	Writing keys and values	7
4.6	Buffer	8
4.6.1	Creating and deleting buffers	9
4.6.2	Special buffer operations	9
4.6.3	Buffering keys and values	9
5	Implementation	10
5.1	Exception handling	10
5.2	Required packages	10
5.3	Util	10
5.4	State	11
5.5	File handle	12
5.6	Buffer	14
5.7	String processing	15
5.8	Metadata	16
5.9	Collection delimiters	18
5.10	Keys and values	19

1 Introduction

The `latex2pydata` package is designed for passing data from \LaTeX into Python. It writes data to file using [Python literal syntax](#). The data may then be loaded safely in Python using the `ast.literal_eval()` function or the [`latex2pydata` Python package](#).

The data that `latex2pydata` writes to file can take two forms. The top-level data structure can be configured as a Python dict. This is appropriate for representing a single \LaTeX command or environment. The top-level data structure can also be configured as a list of dicts. This is useful for representing a sequence of \LaTeX commands or environments. In both cases, all keys and values within dicts are written to file as Python string literals. Thus, the overall data is `dict[str, str]` or `list[dict[str, str]]`. This does not limit the data types that can be passed from LaTeX to Python, however. When data is loaded, the included schema functionality makes it possible to convert string values into other Python data types such as dicts, lists, sets, bools, and numbers.

The data is suitable for direct loading in Python with `ast.literal_eval()`. It is also possible to load data with the [`latex2pydata` Python package](#), which serves as a wrapper for `ast.literal_eval()`. The Python package requires all keys to match the regex `[A-Za-z_][0-9A-Za-z_]*`. Periods in keys are interpreted as key paths and indicate sub-dicts. For example, the key path `main.sub` represents a key `main` in the main dict that maps to a sub-dict containing a key `sub`. This makes it convenient to represent nested dicts.

`latex2pydata` optionally supports writing metadata to file, including basic schema definitions for values. When the [`latex2pydata` Python package](#) loads data with a schema definition for a given value, the value is initially loaded as a string, which is the verbatim text sent from \LaTeX . Then this string is evaluated with `ast.literal_eval()`. An error is raised if this process does not result in an object with the data type specified in the schema.

2 Example

```
\pydatasetfilename{\jobname.pydata}
\pydatawritedictopen
\pydatawritekeyvalue{key}{value with "quote" and \backslash ...}
\pydatawritedictclose
\pydataclosefilename{\jobname.pydata}
\VerbatimInput{\jobname.pydata}

{
  "key": "value with \"quote\" and \\backslash\\ ...",
}
```

3 Design considerations

`latex2pydata` is intended for use with Python. Python literal syntax was chosen instead of [JSON](#) or another data format because it provides simpler compatibility with \LaTeX .

- It must be possible to serialize the contents of a \LaTeX environment verbatim. Python literal syntax supports multi-line string literals, so this is straightforward:

write an opening multi-line string delimiter to file, write the environment contents a line at a time (backslash-escaping any delimiter characters), and finally write a closing multi-line string delimiter. Meanwhile, JSON requires that all literal newlines in strings be replaced with “\n”. The naive \LaTeX implementation of this would be to accumulate the entire environment contents verbatim within a single macro and then perform newline substitutions. For long environment contents, this can lead to buffer memory errors (\LaTeX ’s `buf_size`). It should be possible to avoid this, but only with more creative algorithms that bring additional complexity.

- Python literal syntax only requires that the backslash plus the string delimiter be escaped within strings. JSON has the additional requirement that command characters be escaped.

`latex2pydata` is designed for use with Python and there are no plans to add additional data formats for use with other languages. Choosing Python literal syntax does make `latex2pydata` less compatible with other programming languages than JSON or some other formats would be. However, the only data structures used are `dict[str, str]` and `list[dict[str, str]]`. It should be straightforward to implement a parser for this subset of Python literal syntax in other languages.

Data structures are limited to `dict[str, str]` and `list[dict[str, str]]` because the objective is to minimize the potential for errors during serialization and deserialization. These are simple enough data structures that basic checking for incomplete or malformed data is possible on the \LaTeX side during writing or buffering. More complex data types, such as floating point numbers or deeply nested dicts, would be difficult to validate on the \LaTeX side, so invalid values would tend to result in parse errors during deserialization in Python. The current approach still allows for a broad variety of data types via a schema, with the advantage that it can be easier to give useful error messages during schema validation than during deserialization parsing.

4 Usage

Load the package as usual: `\usepackage{latex2pydata}`. There are no package options.

4.1 Errors

Most \LaTeX packages handle errors based on the `-interaction` and `-halt-on-error` command-line options, plus `\interactionmode` and associated macros. With the common `-interaction=nonstopmode`, \LaTeX will continue after most errors except some related to missing external files.

`latex2pydata` is designed to force \LaTeX to exit immediately after any `latex2pydata` errors. `latex2pydata` is designed for serializing data to file, typically so that an external program (restricted or unrestricted shell escape, or otherwise) can process the data and potentially generate output intended for \LaTeX . Data that is known to be incomplete or malformed should not be passed to external programs, particularly via shell escape.

When `latex2pydata` forces \LaTeX to exit immediately, there will typically be a message similar to “! Emergency stop [...] cannot \read from terminal in nonstop mode.” This is due to the mechanism that `latex2pydata` uses to force \LaTeX to

exit. To debug, go back further up the log to find the `latex2pydata` error message that caused exiting.

4.2 File handling

All file handling commands operate globally (`\global`, `\gdef`, etc.).

`\pydatasetfilehandle {<filehandle>}`

Configure writing to file using an existing file handle created with `\newwrite`. This allows manual management of the file handle. For example:

```
\newwrite\testdata  
\immediate\openout\testdata=\jobname.pydata\relax  
\pydatasetfilehandle{\testdata}  
...  
\pydataoreleasefilehandle{\testdata}  
\immediate\closeout\testdata
```

To switch from one file handle to another, simply use `\pydatasetfilehandle` with the new file handle. When the file handle is no longer in use, `\pydataoreleasefilehandle` is recommended (but not required) to remove references to the file handle and perform basic checking for incomplete or malformed data written to file.

`\pydatasetfilehandle` sets the file handle globally.

`\pydataoreleasefilehandle {<filehandle>}`

When a file handle is no longer needed, remove references to it. Also perform basic checking for incomplete or malformed data written to file.

This should only be used once per opened file, after all data has been written, just before the file is closed. It is not needed when switching from one file handle to another when both files remain open; in that case, only `\pydatasetfilehandle` is needed. If `\pydataoreleasefilehandle` is used before all data is written, or it is used multiple times while writing to the same file, then it is no longer possible to detect incomplete or malformed data.

`\pydatasetfilename {<filename>}`

Configure a file for writing based on filename, opening the file if necessary. For example:

```
\pydatasetfilename{\jobname.pydata}
```

This is not designed for manual management of the file handle. The file does not have to be closed manually since this will happen automatically at the end of the document. However, using `\pydataclosefilename{<filename>}` is recommended since it closes the file immediately and also performs basic checking for incomplete or malformed data written to file.

To switch from one file to another, simply use `\pydatasetfilename` with the new filename. When the file is no longer in use, `\pydataclosefilename` is recommended.

`\pydatasetfilename` sets the filename globally.

`\pydataclosefilename {<filename>}`

Close a file previously opened with `\pydatasetfilename`. Also perform basic checking for incomplete or malformed data written to file.

4.3 Metadata

latex2pydata optionally supports writing metadata to file, including basic schema definitions for values. When data is loaded with the [latex2pydata Python package](#), the schema is used to perform type conversion and type checking. When a schema definition exists for a given value, the value is initially loaded as a string, and then it is evaluated with `ast.literal_eval()`. An error is raised if this process does not result in an object with the data type specified in the schema.

`\pydatasetschemamissing {<missing behavior>}`

This determines how the schema is processed when the schema is missing definitions for one or more key-value pairs. Options for `<missing behavior>`:

- `error` (default): If a schema is defined then a complete schema is required. That is, a schema definition must exist for all key-value pairs or an error is raised.
- `verbatim`: The schema is enforced for all key-value pairs for which it is defined, and any other key-value pairs are kept with string values. These string values are the raw verbatim text passed from L^AT_EX.
- `evalany`: The schema is enforced for all key-value pairs for which it is defined, and any other key-value pairs have the value evaluated with `ast.literal_eval()`, with all value data types being permitted. Because all values without a schema definition are evaluated, any string values without a schema definition must be quoted and escaped as Python strings on the L^AT_EX side.

`\pydatasetschemakeytype {<key>}{{<value type>}}`

Define a key's schema. For example, `\pydatasetschemakeytype{key}{int}`. The value is initially loaded as a string, and then this is evaluated with `ast.literal_eval()`. An error is raised if this process does not result in an object with the specified data type. `<value type>` should be a standard Python type annotation, such as `list[int]` or `dict[str, float]`. To keep a string value received from L^AT_EX verbatim without any evaluation, use the special `verbatim` type.

The following scalar data types are supported: `bool`, `bytes`, `float`, `int`, `None`, `str`, and `tuple`. The following collection types are supported: `dict`, `list`, and `set`. Any is supported for scalars and for collections (subscripting `Any[...]` is not supported for collections). There is also a `verbatim` data type that is defined specifically for latex2pydata. This keeps the string data received from L^AT_EX verbatim, without any interpretation by `ast.literal_eval()`.

See the [latex2pydata Python package](#) documentation for more details.

`\pydataclearschema`

Delete the existing schema. If the schema is not deleted, it can be reused across multiple output files.

`\pydatawritemeta`

Write metadata, including schema, to a file previously configured with `\pydatasetfilename` or `\pydatasetfilehandle`. Metadata must always be the first thing written to file, before any data.

`\pydataclearmeta`

Clear all metadata. This includes deleting the schema and resetting schema missing behavior to the default.

4.4 Writing list and dict delimiters

The overall data structure, before any schema is applied by the [latex2pydata Python package](#), can be either `list[dict[str, str]]` or `dict[str, str]`. This determines which data collection delimiters are needed.

Delimiters are written to the file previously configured via `\pydatasetfilehandle` or `\pydatasetfilename`.

`\pydatawritedictopen`

Write an opening dict delimiter { to file.

`\pydatawritedictclose`

Write a closing dict delimiter } to file.

`\pydatawritelnlistopen`

Write an opening list delimiter [to file.

`\pydatawritelnlistclose`

Write a closing list delimiter] to file.

4.5 Writing keys and values

All keys must be single-line strings of text without a newline. Both single-line and multi-line values are supported. Keys and values are written to the file previously configured via `\pydatasetfilehandle` or `\pydatasetfilename`.

Commands for writing keys and values may read these keys and values in one of two ways.

- Commands whose names contain `key` or `value` read these arguments verbatim, as described below.
- Commands whose names contain `edefkey` or `edefvalue` read these arguments normally, then expand the arguments via `\edef`, and finally interpret the result as verbatim text.

The `latex2pydata` commands that read keys and values verbatim have some limitations. When these commands are used inside other commands, they use macros from `fverextra` to attempt to interpret their arguments as verbatim. However, there are limitations in this case because the arguments are already tokenized:

- # and % cannot be used.
- Curly braces are only allowed in pairs.
- Multiple adjacent spaces will be collapsed into a single space.
- Be careful with backslashes. A backslash that is followed by one or more ASCII letters will cause a following space to be lost, if the space is not immediately followed by an ASCII letter.

- A single `^` is fine, but `^^` will serve as an escape sequence for an ASCII command character.

When the `latex2pydata` commands are used inside other commands that pass their arguments to the `latex2pydata` commands, it may be best to avoid these limitations by defining the other commands to read their arguments verbatim. Consider using the `xparse` package. It is also possible to use `\FVExtraReadVArg` from `fverextra`; for an example, see the implementation of `\pydatawritekey`.

Because the `latex2pydata` commands treat keys and values as verbatim, any desired macro expansion must be performed before passing the keys and values to the `latex2pydata` commands.

`\pydatawritekey {<key>}`

Write a key to file.

`\pydatawritevalue {<value>}`

Write a single-line value to file.

`\pydatawritekeyvalue {<key>} {<value>}`

Write a key and a single-line value to file simultaneously.

`\pydatawritekeyedefvalue {<key>} {<value>}`

Write a key and a single-line value to file simultaneously. The value is expanded via `\edef` before being interpreted as verbatim text and then written.

`pydatawritemlvalue (env.)`

Write a multi-line value to file.

This environment uses `fverextra` and `fancyvrb` internally to capture the environment contents verbatim. If a new environment is defined as a wrapper for `pydatawritemlvalue`, then `\VerbatimEnvironment` must be used at the beginning of the new environment definition. This configures `fancyvrb` to find the end of the new environment correctly.

`\pydatawritemlvalueopen`

`\pydatawritemlvalueline {<line>}`

`\pydatawritemlvalueclose`

These commands allow writing a multi-line value to file one line at a time. `<line>` is interpreted verbatim.

4.6 Buffer

Key-value data can be written to file once a dict is opened with `\pydatawritedictopen`. It is also possible to accumulate key-value data in a “buffer.” This is convenient when the data serves as input to an external program that generates cached content. Buffered data can be hashed in memory without being written to file, so the existence of cached content can be checked efficiently.

A buffer consists of a sequence of macros of the form `\<buffername>line<n>`, where each line of data corresponds to a macro and `<n>` is an integer greater than or

equal to one (one-based indexing). The length of the buffer is stored in the macro `\<buffername>length`. Buffers are limited to containing comma-separated key-value data, without any opening or closing dict delimiters {}.

All buffer commands that set the buffer or modify the buffer operate globally (`\global`, `\gdef`, etc.).

4.6.1 Creating and deleting buffers

`\pydatasetbuffername {<buffername>}`

Initialize a new buffer if `<buffername>` has not been used previously, and configure all buffer operations to use `<buffername>`.

`<buffername>` is used as a base name for creating the buffer line macros of the form `\<buffername>line<n>` and the buffer length macro `\<buffername>length`.

`\pydataclearbuffername {<buffername>}`

Delete the specified buffer. `\let` all line macros `\<buffername>line<n>` to an undefined macro, and set the length macro `\<buffername>length` to zero.

4.6.2 Special buffer operations

`\pydatabuffermdfivesum`

Calculate the MD5 hash of the current buffer, using `\pdf@mdfivesum` from `pdftexcmds`. This is fully expandable. For example:

```
\edef\hash{\pydatabuffermdfivesum}
```

`\pydatawritebuffer`

Write the current buffer to the file previously configured via `\pydatasetfilename` or `\pydatasetfilehandle`.

Writing the buffer does not modify the buffer in any way or delete it. To delete the buffer after writing, use `\pydataclearbuffername`.

4.6.3 Buffering keys and values

All keys must be single-line strings of text without a newline. Both single-line and multi-line values are supported. Keys and values are appended to the buffer previously configured via `\pydatasetbuffername`.

The `latex2pydata` commands read keys and values verbatim. Like the commands for writing keys and values, the commands for buffering keys and values have limitations when used inside other commands.

`\pydatabufferkey {<key>}`

Append a key to the buffer.

`\pydatabuffervalue {<value>}`

Append a single-line value to the buffer.

`\pydatabufferkeyvalue {<key>} {<value>}`

Append a key and a single-line value to the buffer simultaneously.

```
\pydatabufferkeyedefvalue {<key>}{{<value>}}
```

Append a key and a single-line value to the buffer simultaneously. The value is expanded via \edef before being interpreted as verbatim text and then buffered.

```
pydatabuffermlvalue (env.)
```

Append a multi-line value to the buffer.

This environment uses `fvextra` and `fancyvrb` internally to capture the environment contents verbatim. If a new environment is defined as a wrapper for `pydatabuffermlvalue`, then `\VerbatimEnvironment` must be used at the beginning of the new environment definition. This configures `fancyvrb` to find the end of the new environment correctly.

```
\pydatabuffermlvalueopen
```

```
\pydatabuffermlvalueline {<line>}
```

```
\pydatabuffermlvalueclose
```

These commands allow buffering a multi-line value one line at a time. `<line>` is interpreted verbatim.

5 Implementation

5.1 Exception handling

`\pydata@error` Shortcut for error message. The `\batchmode\read -1` to `\pydata@exitnow` forces an immediate exit with “! Emergency stop [...] cannot \read from terminal in nonstop modes.” Due to the potentially critical nature of written or buffered data, any errors in assembling the data should be treated as fatal.

```
1 \def\pydata@error#1{%
2   \PackageError{latex2pydata}{#1}{}%
3   \batchmode\read -1 to \pydata@exitnow}
```

`\pydata@warning` Shortcut for warning message.

```
4 \def\pydata@warning#1{%
5   \PackageWarning{latex2pydata}{#1}}
```

5.2 Required packages

```
6 \RequirePackage{etoolbox}
7 \RequirePackage{fvextra}
8 \IfPackageAtLeastTF{fvextra}{2024/05/16}{%
9   {}{\pydata@error{package fvextra is outdated; upgrade to the latest version}}%
10 \RequirePackage{pdftexcmds}
```

5.3 Util

`\pydata@empty` Empty macro.

```
11 \def\pydata@empty{}
```

- \pydata@newglobalbool Variants of etoolbox's \newbool and \providebool that create bools whose state is always global. When these global bools are used with \setbool, \booltrue, or \boolfalse, the global state is updated regardless of whether the command is prefixed with \global. These use a global variant of L^AT_EX's \newif internally.

```

12 \def\pydata@gnewif#1{%
13   \count@\escapechar
14   \escapechar\m@ne
15   \global\let#1\iffalse
16   \pydata@gif#1\iftrue
17   \pydata@gif#1\iffalse
18   \escapechar\count@}
19 \def\pydata@gif#1#2{%
20   \expandafter\gdef\csname
21     \expandafter\@gobbletwo\string#1\expandafter\@gobbletwo\string#2\endcsname
22   {\global\let#1#2}}
23 \newrobustcmd*\{\pydata@newglobalbool}[1]{%
24   \begingroup
25   \let\newif\pydata@gnewif
26   \newbool{#1}%
27   \endgroup}
28 \newrobustcmd*\{\pydata@provideglobalbool}[1]{%
29   \begingroup
30   \let\newif\pydata@gnewif
31   \providebool{#1}%
32   \endgroup}

```

5.4 State

Track state of writing data and of buffering data. Notice that bools for tracking state are a special, custom variant that is always global.

- pydata@canwrite Whether data can be written. False if a file handle has not been set or if the top-level data structure has been closed.
- ```
33 \pydata@newglobalbool{pydata@canwrite}
```
- pydata@hasmeta Whether metadata was written. Metadata is a dict[str, str | dict[str, str]].
- ```
34 \pydata@newglobalbool{pydata@hasmeta}
```
- pydata@topexists Whether the top-level data structure has been configured. The top-level data structure can be a list or a dict. The overall data structure must be either dict[str, str] or list[dict[str, str]].
- ```
35 \pydata@newglobalbool{pydata@topexists}
```
- pydata@topislist Whether the top-level data structure is a list.
- ```
36 \pydata@newglobalbool{pydata@topislist}
```
- pydata@indict Whether a dict has been opened.
- ```
37 \pydata@newglobalbool{pydata@indict}
```
- pydata@haskey Whether a key has been written (waiting for a value).
- ```
38 \pydata@newglobalbool{pydata@haskey}
```

\pydata@fhstartstate Start and stop state tracking for a file handle (\newwrite), or reset state after writing is complete. Each file handle has its own set of state bools of the form pydata@*boolname*@*fh*. When a file handle is in use, the values of these bools are copied into the pydata@*boolname* bools; when the file handle is no longer in use, pydata@*boolname* values are copied back into pydata@*boolname*@*fh*.

```

39 \def\pydata@fhstartstate#1{%
40   \expandafter\pydata@fhstartstate@i\expandafter{\number#1}%
41 \newbool{pydata@fhnewstate}%
42 \def\pydata@fhstartstate@i#1{%
43   \ifcscname ifpydata@canwrite@#1\endcscname%
44   \boolfalse{pydata@fhnewstate}}%
45 \else%
46   \booltrue{pydata@fhnewstate}}%
47 \fi%
48 \def\do##1{%
49   \pydata@provideglobalbool{pydata@##1@##1}}%
50   \ifbool{pydata@##1@##1}{\booltrue{pydata@##1}}{\boolfalse{pydata@##1}}}}%
51 \docslist{canwrite, hasmeta, topexists, topislist, indict, haskey}%
52 \ifbool{pydata@fhnewstate}%
53   {\booltrue{pydata@canwrite}}{}%
54 \ifbool{pydata@fhisreleased@#1}%
55   {\boolfalse{pydata@fhisreleased@#1}\booltrue{pydata@canwrite}}{}%
56 \def\pydata@fhstopstate#1{%
57   \expandafter\pydata@fhstopstate@i\expandafter{\number#1}%
58 \def\pydata@fhstopstate@i#1{%
59   \ifcscname ifpydata@canwrite@#1\endcscname%
60   \def\do##1{%
61     \ifbool{pydata@##1}{\booltrue{pydata@##1@##1}}{\boolfalse{pydata@##1@##1}}}}%
62   \boolfalse{pydata@##1}}%
63   \docslist{canwrite, hasmeta, topexists, topislist, indict, haskey}}%
64 \fi%
65 \def\pydata@fhresetstate#1{%
66   \expandafter\pydata@fhresetstate@i\expandafter{\number#1}%
67 \def\pydata@fhresetstate@i#1{%
68   \def\do##1{%
69     \boolfalse{pydata@##1@##1}}%
70   \docslist{canwrite, hasmeta, topexists, topislist, indict, haskey}}}
```

pydata@bufferhaskey Whether a key has been added to the buffer (waiting for a value).

If multiple buffers are in use, all buffers use the same pydata@bufferhaskey. Inconsistent state is avoided by requiring that \pydatasetbuffername can only be invoked when pydata@bufferhaskey is false.

```
71 \pydata@newglobalbool{pydata@bufferhaskey}
```

5.5 File handle

\pydata@filehandle File handle for writing data.

```
72 \let\pydata@filehandle\relax
```

\pydata@checkfilehandle Check whether file handle has been set.

```
73 \def\pydata@checkfilehandle{%
74   \ifx\pydata@filehandle\relax
```

```
75     \pydata@error{Undefined file handle; use \string\pydatasetfilehandle}%
76     \fi}
```

\pydatasetfilehandle Set and release file handle. Release isn't strictly required, but it is necessary for basic data checking on the L^AT_EX side.

```
77 \def\pydatasetfilehandle#1{%
78   \if\relax\detokenize{\#1}\relax
79     \pydata@error{Missing file handle}%
80   \fi
81   \ifx\pydata@filehandle\relax
82   \else\ifx\pydata@filehandle#1\relax
83   \else
84     \pydata@fhstopstate{\pydata@filehandle}%
85   \fi\fi
86   \ifx\pydata@filehandle#1\relax
87   \else
88     \global\let\pydata@filehandle#1\relax
89     \pydata@provideglobalbool{\pydata@fhisreleased@\number#1}%
90     \pydata@fhstartstate{\#1}%
91   \fi
92 \def\pydatareleasefilehandle#1{%
93   \ifcsname ifpydata@canwrite@\number#1\endcsname
94   \else
95     \pydata@error{Unknown file handle #1}%
96   \fi
97   \ifx\pydata@filehandle#1\relax
98     \pydata@fhstopstate{\#1}%
99     \global\let\pydata@filehandle\relax
100  \fi
101 \ifbool{\pydata@canwrite@\number#1}%
102 { \ifbool{\pydata@haskey@\number#1}%
103 { \pydata@error{Incomplete data: key is waiting for value}{}%
104   \ifbool{\pydata@indict@\number#1}%
105   { \pydata@error{Incomplete data: dict is not closed}{}%
106     \ifbool{\pydata@topislist@\number#1}%
107     { \pydata@error{Incomplete data: list is not closed}{}%
108       {}%
109     \pydata@fhresetstate{\#1}%
110   \booltrue{\pydata@fhisreleased@\number#1}}}
```

\pydatasetfilename Shortcut for creating a \newwrite and then passing the file handle to \pydatasetfilehandle.
\pydataclosefilename File handles are global. If the close macro is not invoked, then basic data checking on the L^AT_EX side will not be performed. However, T_EX will automatically close open writes at the end of the compile.

```
111 \def\pydatasetfilename#1{%
112   \if\relax\detokenize{\#1}\relax
113     \pydata@error{Missing filename}%
114   \fi
115   \ifcsname pydata@fh@\#1\endcsname
116   \else
117     \expandafter\newwrite\csname pydata@fh@\#1\endcsname
118   \fi
119   \pydata@provideglobalbool{\pydata@fileisopen@\#1}%
120   \ifbool{\pydata@fileisopen@\#1}{%
```

```

121   {}%
122   {\expandafter\immediate\expandafter\openout\csname pydata@fh@#1\endcsname=\#1\relax
123     \booltrue{pydata@fileisopen@#1}%
124   \expandafter\pydatasetfilehandle\expandafter{\csname pydata@fh@#1\endcsname}%
125 \def\pydataclosefilename#1{%
126   \ifcsname pydata@fh@#1\endcsname
127     \ifbool{pydata@fileisopen@#1}{%
128       {\expandafter\pydatareleasefilehandle\expandafter{\csname pydata@fh@#1\endcsname}%
129         \expandafter\immediate\expandafter\closeout\csname pydata@fh@#1\endcsname
130         \boolfalse{pydata@fileisopen@#1}}%
131     {}%
132   \else
133     \pydata@error{Unknown file name "#1"}%
134   \fi}

```

5.6 Buffer

Key-value data can be written directly to file once a dict is opened. It is also possible to accumulate key-value data in a “buffer.” This is convenient when the data serves as input to an external program that generates cached content. Buffered data can be hashed in memory without being written to file, so the existence of cached content can be checked efficiently.

The buffer consists of a sequence of macros of the form `\<buffer_name>line<n>`, where each line of data corresponds to a macro and `<n>` is an integer greater than or equal to one. The length of the buffer is stored in the macro `\<buffer_name>.length`. The buffer includes comma-separated key-value data, without any opening or closing dict delimiters `{}`.

`\pydata@bufferindex` Macro for looping through buffers.

```
135 \def\pydata@bufferindex#0{
```

`\pydatasetbuffername` Set the buffer base name and create a corresponding length macro if it does not exist.

```

\pydata@buffername 136 \def\pydatasetbuffername#1{%
\pydata@bufferlinename 137   \ifbool{pydata@bufferhaskey}{%
\pydata@bufferlengthname 138     {\pydata@error{Cannot change buffers when a buffered key is waiting for a value}}%
\pydata@bufferlengthmacro 139   {}%
140   \gdef\pydata@buffername{#1}%
141   \gdef\pydata@bufferlinename{#1line}%
142   \gdef\pydata@bufferlengthname{#1length}%
143   \ifcsname\pydata@bufferlengthname\endcsname
144   \else
145     \expandafter\gdef\csname\pydata@bufferlengthname\endcsname{0}%
146   \fi
147   \expandafter\gdef\expandafter\pydata@bufferlengthmacro\expandafter{%
148     \csname\pydata@bufferlengthname\endcsname}%
149 \pydatasetbuffername{pydata@defaultbuffer}

```

`\pydatawritebuffer` Write existing buffer macros to file handle.

```

150 \def\pydatawritebuffer{%
151   \ifnum\pydata@bufferlengthmacro<1\relax
152     \pydata@error{Cannot write empty buffer}%
153   \fi
154   \pydata@checkfilehandle

```

```

155  \ifbool{pydata@indict}{}{\pydata@error{Cannot write buffer unless in a dict}}%
156  \ifbool{pydata@haskey}%
157    {\pydata@error{Cannot write buffer when file has a key waiting for a value}}{}%
158  \ifbool{pydata@bufferhaskey}%
159    {\pydata@error{Cannot write buffer when a buffered key is waiting for a value}}{}%
160  \gdef\pydata@bufferindex{1}%
161  \loop\unless\ifnum\pydata@bufferindex>\pydata@bufferlengthmacro\relax
162    \immediate\write\pydata@filehandle{%
163      \csname\pydata@bufferlinename\pydata@bufferindex\endcsname}%
164    \xdef\pydata@bufferindex{\the\numexpr\pydata@bufferindex+1\relax}%
165  \repeat
166  \gdef\pydata@bufferindex{0}

\pydataclearbuffername Delete the buffer: \let all line macros to an undefined macro, and set length to zero.
167 \def\pydataclearbuffername#1{%
168   \def\pydata@clearbuffername{\#1}%
169   \ifcsname#1length\endcsname
170   \else
171     \pydata@error{Buffer #1 does not exist}%
172   \fi
173   \gdef\pydata@bufferindex{1}%
174   \loop\unless\ifnum\pydata@bufferindex>\csname#1length\endcsname\relax
175     \expandafter\global\expandafter\let
176       \csname#1line\pydata@bufferindex\endcsname\pydata@undefined
177     \xdef\pydata@bufferindex{\the\numexpr\pydata@bufferindex+1\relax}%
178   \repeat
179   \expandafter\gdef\csname#1length\endcsname{0}%
180   \gdef\pydata@bufferindex{0}%
181   \ifx\pydata@clearbuffername\pydata@buffername
182     \boolfalse{pydata@bufferhaskey}%
183   \fi}
184
\pydatabuffermdfivesum Calculate buffer MD5.
185 \def\pydatabuffermdfivesum{%
186   \pdf@mdfivesum{%
187     \ifnum\pydata@bufferlengthmacro<1
188       \expandafter\@firstoftwo
189     \else
190       \expandafter\@secondoftwo
191     \fi
192     {}{\pydatabuffermdfivesum@i{1}}}}
193 \def\pydatabuffermdfivesum@i#1{%
194   \csname\pydata@bufferlinename#1\endcsname^{^J}%
195   \ifnum\pydata@bufferlengthmacro=#1
196     \expandafter\@gobble
197   \else
198     \expandafter\@firstofone
199   \fi
200   \expandafter\pydatabuffermdfivesum@i\expandafter{\the\numexpr#1+1\relax}}}

```

5.7 String processing

Ensure correct catcode for double quotation mark, which will be used for delimiting all Python string literals.

```

200 \begingroup
201 \catcode`\"=12\relax

\pydata@escstrtext  Escape string text by replacing \ with \\ and " with \". Any text that requires expansion
                      must be expanded prior to escaping. The string text is processed with \detokenize to
                      ensure catcodes and prepare it for writing. This is redundant in cases where text has
                      already been processed with \FVExtraDetokenizeVArg.
202 \begingroup
203 \catcode`\!=0
204 !catcode`\!=12
205 !gdef!pydata@escstrtext#1{%
206   !expandafter!pydata@escstrtext@i!detokenize{#1}\!FV@Sentinel}
207 !gdef!pydata@escstrtext@i#1\#2!FV@Sentinel{%
208   !if!relax!detokenize{#2}!relax
209   !expandafter!@firstoftwo
210   !else
211   !expandafter!@secondoftwo
212   !fi
213   {!pydata@escstrtext@ii#1"!FV@Sentinel}%
214   {!pydata@escstrtext@ii#1\"!FV@Sentinel!pydata@escstrtext@i#2!FV@Sentinel}}
215 !gdef!pydata@escstrtext@ii#1"\#2!FV@Sentinel{%
216   !if!relax!detokenize{#2}!relax
217   !expandafter!@firstoftwo
218   !else
219   !expandafter!@secondoftwo
220   !fi
221   {#1}%
222   {#1\"!pydata@escstrtext@ii#2!FV@Sentinel}}
223 !endgroup

```

\pydata@quotestr Escape a string then quote it with ".

```

224 \gdef\pydata@quotestr#1{%
225   "\pydata@escstrtext{#1}"}

```

\pydata@mlstropen Multi-line string delimiters. The opening delimiter has a trailing backslash to prevent
\pydata@mlstrclose the string from starting with a newline.

```

226 \begingroup
227 \catcode`\!=0
228 !catcode`\!=12
229 !gdef!pydata@mlstropen{"""\`}
230 !gdef!pydata@mlstrclose{"""}
231 !endgroup
End " catcode.
232 \endgroup

```

5.8 Metadata

\pydata@schema Macro storing key-value schema data.

```

233 \def\pydata@schema{}

```

\pydatasetschemamissing Define behavior for missing key-value pairs in a schema.

```

\pydata@schemamissing 234 \let\pydata@schemamissing@error\relax

```

```

235 \let\pydata@schemamissing@verbatim\relax
236 \let\pydata@schemamissing@evalany\relax
237 \def\pydatasetschemamissing#1{%
238   \ifcsname pydata@schemamissing@\detokenize{#1}\endcsname
239   \else
240     \pydata@error{Invalid schema missing setting #1}%
241   \fi
242   \gdef\pydata@schemamissing{#1}%
243 \pydatasetschemamissing{error}

\pydatasetschemakeytype Define a key's schema. For example, \pydatasetschemakeytype{key}{int}.
244 \begingroup
245 \catcode`\:=12\relax
246 \catcode`\_=12\relax
247 \gdef\pydatasetschemakeytype#1#2{%
248   \ifboolexpr{\pydata@hasmeta}{\pydata@error{Must create schema before writing metadata}}{}%
249   \ifboolexpr{\pydata@topexists}{\pydata@error{Must create schema before writing data}}{}%
250   \expandafter\def\expandafter\pydata@schema\expandafter{%
251     \pydata@schema\pydata@quotestr{#1}: \pydata@quotestr{#2}, }%
252 \endgroup

\pydataclearschema Delete existing schema. This isn't done automatically upon writing so that a schema
can be defined and then reused.
253 \def\pydataclearschema{%
254   \gdef\pydata@schema{}}

\pydataclearmeta Delete existing metadata. This isn't done automatically upon writing so that metadata
can be defined and then reused.
255 \def\pydataclearmeta{%
256   \pydatasetschemamissing{error}%
257   \pydataclearschema}

\pydatawritemeta Write metadata to file, including any schema.
258 \begingroup
259 \catcode`\:=12\relax
260 \catcode`\#=12\relax
261 \catcode`\_=12\relax
262 \gdef\pydatawritemeta{%
263   \ifboolexpr{\pydata@canwrite}{%
264     {}{\pydata@error{Data was already written; cannot write metadata}}%
265   \ifboolexpr{\pydata@hasmeta}{\pydata@error{Already wrote metadata}}{}%
266   \ifboolexpr{\pydata@topexists}{\pydata@error{Must write metadata before writing data}}{}%
267   \edef\pydata@meta@exp{%
268     # latex2pydata metadata:
269     \@charl{b}
270     \pydata@quotestr{schema_missing}:
271     \expandafter\pydata@quotestr\expandafter{\pydata@schemamissing},
272     \pydata@quotestr{schema}:
273     \ifx\pydata@schema\pydata@empty
274       \expandafter\@firstoftwo
275     \else
276       \expandafter\@secondoftwo
277     \fi

```

```

278     {None}{\@char1b\pydata@schema\@charrb},
279     \@charrb}%
280 \immediate\write\pydata@filehandle{\pydata@meta@exp}%
281 \booltrue{\pydata@hasmeta}}
282 \endgroup

```

5.9 Collection delimiters

`\pydatawritelnlistopen` Write list delimiters. These are only used when the top-level data structure is a list:
`\pydatawritelnlistclose` `list[dict[str, str]]`.

```

283 \begingroup
284 \catcode`\[=12\relax
285 \catcode`\]=12\relax
286 \gdef\pydatawritelnlistopen{%
287   \pydata@checkfilehandle
288   \ifbool{\pydata@canwrite}{%
289     {}{\pydata@error{Data structure is closed; cannot write delim}}%
290   \ifbool{\pydata@topexists}{%
291     {}{\pydata@error{Top-level data structure already exists}}{}%
292   \immediate\write\pydata@filehandle{[]}%
293   \booltrue{\pydata@topexists}%
294   \booltrue{\pydata@topislist}}
295 \gdef\pydatawritelnlistclose{%
296   \ifbool{\pydata@topexists}{%
297     {}{\pydata@error{No data structure is open; cannot write delim}}%
298   \ifbool{\pydata@topislist}{%
299     {}{\pydata@error{Top-level data structure is not a list}}{}%
300   \ifbool{\pydata@haskey}{%
301     {}{\pydata@error{Cannot close data structure when key is waiting for value}}{}%
302   \immediate\write\pydata@filehandle{[]}%
303   \boolfalse{\pydata@topexists}%
304   \boolfalse{\pydata@topislist}%
305   \boolfalse{\pydata@hasmeta}%
306   \boolfalse{\pydata@canwrite}}
307 \endgroup

```

`\pydatawritedictopen` Write dict delimiters. These are not the top-level data structure for `list[dict[str, str]]`
`\pydatawritedictclose` but are the top-level data structure for `dict[str, str]`.

```

308 \begingroup
309 \catcode`\,=12\relax
310 \gdef\pydatawritedictopen{%
311   \ifbool{\pydata@topislist}{%
312     {}{\ifbool{\pydata@indict}{\pydata@error{Already in a dict; cannot nest}}{}%
313     \immediate\write\pydata@filehandle{\@char1b}%
314     \booltrue{\pydata@indict}}%
315   \pydata@checkfilehandle
316   \ifbool{\pydata@canwrite}{%
317     {}{\pydata@error{Data structure is closed; cannot write delim}}%
318   \ifbool{\pydata@topexists}{%
319     {}{\pydata@error{Top-level data structure already exists}}{}%
320   \immediate\write\pydata@filehandle{\@char1b}%
321   \booltrue{\pydata@topexists}%
322   \booltrue{\pydata@indict}}}

```

```

323 \gdef\pydatawritedictclose{%
324   \ifbool{pydata@indict}{}{\pydata@error{No dict is open; cannot write delim}}%
325   \ifbool{pydata@haskey}{%
326     {\pydata@error{Cannot close data structure when key is waiting for value}}{}%
327   \ifbool{pydata@topislist}{%
328     {\immediate\write\pydata@filehandle{\@charrb,}}%
329     \boolfalse{pydata@indict}}%
330   {\immediate\write\pydata@filehandle{\@charrb}}%
331     \boolfalse{pydata@indict}}%
332   \boolfalse{pydata@topexists}}%
333   \boolfalse{pydata@hasmeta}}%
334   \boolfalse{pydata@canwrite}}}
335 \endgroup

```

5.10 Keys and values

\pydatawritekey Write key to file or append it to the buffer.

\pydatabufferkey

```

336 \begingroup
337 \catcode`\:=12\relax
338 \gdef\pydatawritekey{%
339   \FVExtraReadVArg{\FVExtraDetokenizeVArg{\pydatawritekey@i}}}
340 \gdef\pydatawritekey@i#1{%
341   \ifbool{pydata@indict}{}{\pydata@error{Cannot write a key unless in a dict}}%
342   \ifbool{pydata@haskey}{\pydata@error{Cannot write a key when waiting for a value}}{}%
343   \immediate\write\pydata@filehandle{%
344     \pydata@quotestr{\#1}:}%
345   }%
346   \booltrue{pydata@haskey}}
347 \gdef\pydatabufferkey{%
348   \FVExtraReadVArg{\FVExtraDetokenizeVArg{\pydatabufferkey@i}}}
349 \gdef\pydatabufferkey@i#1{%
350   \ifbool{pydata@bufferhaskey}{%
351     {\pydata@error{Cannot buffer a key when waiting for a value}}{}%
352   \expandafter\xdef\pydata@bufferlengthmacro{%
353     \the\numexpr\pydata@bufferlengthmacro+1\relax}%
354   \expandafter\xdef\csname\pydata@bufferlinename\pydata@bufferlengthmacro\endcsname{%
355     \pydata@quotestr{\#1}:}%
356   }%
357   \booltrue{pydata@bufferhaskey}}
358 \endgroup

```

\pydatawritevalue Write a value to file or append it to the buffer.

\pydatabuffervalue

```

359 \begingroup
360 \catcode`\,=12\relax
361 \gdef\pydatawritevalue{%
362   \FVExtraReadVArg{\FVExtraDetokenizeVArg{\pydatawritevalue@i}}}
363 \gdef\pydatawritevalue@i#1{%
364   \ifbool{pydata@haskey}{}{\pydata@error{Cannot write value when waiting for a key}}%
365   \immediate\write\pydata@filehandle{%
366     \pydata@quotestr{\#1},}%
367   }%
368   \boolfalse{pydata@haskey}}
369 \gdef\pydatabuffervalue{%

```

```

370   \FVExtraReadVArg{\FVExtraDetokenizeVArg{\pydatabuffervalue@i}}}
371 \gdef\pydatabuffervalue@i#1{%
372   \ifbool{pydata@bufferhaskey}{%
373     {}{\pydata@error{Cannot buffer value when waiting for a key}}%
374   \expandafter\xdef\pydata@bufferlengthmacro{%
375     \the\numexpr\pydata@bufferlengthmacro+1\relax}%
376   \expandafter\xdef\csname\pydata@bufferlinename\pydata@bufferlengthmacro\endcsname{%
377     \pydata@quotestr{\#1},%
378   }%
379   \boolfalse{pydata@bufferhaskey}}}
380 \endgroup

\pydatawritekeyvalue Write a key and a single-line value to file simultaneously, or append them to the buffer.
\pydatawritekeyedvalue 381 \begingroup
\pydatabufferkeyvalue 382 \catcode`\:=12\relax
\pydatabufferkeyedvalue 383 \catcode`\_=12\relax
384 \gdef\pydatawritekeyvalue{%
385   \FVExtraReadVArg{\FVExtraDetokenizeVArg{\pydatawritekeyvalue@i}}}
386 \gdef\pydatawritekeyvalue@i#1{%
387   \FVExtraReadVArg{\FVExtraDetokenizeVArg{\pydatawritekeyvalue@ii{\#1}}}}
388 \gdef\pydatawritekeyvalue@ii#1#2{%
389   \ifbool{pydata@indict}{}{\pydata@error{Cannot write a key unless in a dict}}%
390   \ifbool{pydata@haskey}{\pydata@error{Cannot write a key when waiting for a value}}{}%
391   \immediate\write\pydata@filehandle{%
392     \pydata@quotestr{\#1}: \pydata@quotestr{\#2},%
393   }%
394 \gdef\pydatawritekeyedvalue{%
395   \FVExtraReadVArg{\FVExtraDetokenizeVArg{\pydatawritekeyedvalue@i}}}
396 \gdef\pydatawritekeyedvalue@i#1#2{%
397   \edef\pydata@tmp{\#2}%
398   \expandafter\pydatawritekeyedvalue@ii\expandafter{\pydata@tmp}{\#1}}
399 \gdef\pydatawritekeyedvalue@ii#1#2{%
400   \FVExtraDetokenizeVArg{\pydatawritekeyvalue@ii{\#2}}{\#1}}
401 \gdef\pydatabufferkeyvalue{%
402   \FVExtraReadVArg{\FVExtraDetokenizeVArg{\pydatabufferkeyvalue@i}}}
403 \gdef\pydatabufferkeyvalue@i#1{%
404   \FVExtraReadVArg{\FVExtraDetokenizeVArg{\pydatabufferkeyvalue@ii{\#1}}}}
405 \gdef\pydatabufferkeyvalue@ii#1#2{%
406   \ifbool{pydata@bufferhaskey}{%
407     {\pydata@error{Cannot buffer a key when waiting for a value}}{}%
408   \expandafter\xdef\pydata@bufferlengthmacro{%
409     \the\numexpr\pydata@bufferlengthmacro+1\relax}%
410   \expandafter\xdef\csname\pydata@bufferlinename\pydata@bufferlengthmacro\endcsname{%
411     \pydata@quotestr{\#1}: \pydata@quotestr{\#2},%
412   }%
413 \gdef\pydatabufferkeyedvalue{%
414   \FVExtraReadVArg{\FVExtraDetokenizeVArg{\pydatabufferkeyedvalue@i}}}
415 \gdef\pydatabufferkeyedvalue@i#1#2{%
416   \edef\pydata@tmp{\#2}%
417   \expandafter\pydatabufferkeyedvalue@ii\expandafter{\pydata@tmp}{\#1}}
418 \gdef\pydatabufferkeyedvalue@ii#1#2{%
419   \FVExtraDetokenizeVArg{\pydatabufferkeyvalue@ii{\#2}}{\#1}}
420 \endgroup

\pydataitemlvalueopen Write a line of a multi-line value to file or append it to the buffer. Write the end delimiter
\pydataitemlvalueline
\pydataitemlvalueclose
\pydatabuffermlvalueopen
\pydatabuffermlvalueline
\pydatabuffermlvalueclose

```

of the value to file or append it to the buffer.

```
421 \begingroup
422 \catcode`\_=12\relax
423 \gdef\pydatawritemlvalueopen{%
424   \ifbool{pydata@haskey}{}{\pydata@error{Cannot write value when waiting for a key}}%
425   \immediate\write\pydata@filehandle{%
426     \pydata@mlstropen
427   }%
428 \gdef\pydatawritemlvalueline#1{%
429   \ifbool{pydata@haskey}{}{\pydata@error{Cannot write value when waiting for a key}}%
430   \immediate\write\pydata@filehandle{%
431     \pydata@escstrtext{#1}%
432   }%
433 \gdef\pydatawritemlvalueclose{%
434   \ifbool{pydata@haskey}{}{\pydata@error{Cannot write value when waiting for a key}}%
435   \immediate\write\pydata@filehandle{%
436     \pydata@mlstrclose,%
437   }%
438 \boolfalse{pydata@haskey}}
439 \gdef\pydatabuffermlvalueopen{%
440   \ifbool{pydata@bufferhaskey}%
441   {}{\pydata@error{Cannot buffer value when waiting for a key}}%
442   \expandafter\xdef\pydata@bufferlengthmacro{%
443     \the\numexpr\pydata@bufferlengthmacro+1\relax}%
444   \expandafter\xdef\csname\pydata@bufferlinename\pydata@bufferlengthmacro\endcsname{%
445     \pydata@mlstropen
446   }%
447 \gdef\pydatabuffermlvalueline#1{%
448   \ifbool{pydata@bufferhaskey}%
449   {}{\pydata@error{Cannot buffer value when waiting for a key}}%
450   \expandafter\xdef\pydata@bufferlengthmacro{%
451     \the\numexpr\pydata@bufferlengthmacro+1\relax}%
452   \expandafter\xdef\csname\pydata@bufferlinename\pydata@bufferlengthmacro\endcsname{%
453     \pydata@escstrtext{#1}%
454   }%
455 \gdef\pydatabuffermlvalueclose{%
456   \ifbool{pydata@bufferhaskey}%
457   {}{\pydata@error{Cannot buffer value when waiting for a key}}%
458   \expandafter\xdef\pydata@bufferlengthmacro{%
459     \the\numexpr\pydata@bufferlengthmacro+1\relax}%
460   \expandafter\xdef\csname\pydata@bufferlinename\pydata@bufferlengthmacro\endcsname{%
461     \pydata@mlstrclose,%
462   }%
463 \boolfalse{pydata@bufferhaskey}}
464 \endgroup
*start and *end variants for backward compatibility with versions before v0.5.0.
465 \let\pydatawritemlvaluestart\pydatawritemlvalueopen
466 \let\pydatawritemlvalueend\pydatawritemlvalueclose
467 \let\pydatabuffermlvaluestart\pydatabuffermlvalueopen
468 \let\pydatabuffermlvalueend\pydatabuffermlvalueclose
pydatawritemlvalue
469 \newenvironment{pydatawritemlvalue}{%
```

```
470  {\VerbatimEnvironment
471   \pydataitemlvalueopen
472   \begin{VerbatimWrite}[writer=\pydataitemlvalueline]}\%
473  {\end{VerbatimWrite}}
474 \AfterEndEnvironment{\pydataitemlvalue}{\pydataitemlvalueclose}

pydatabuffermlvalue
475 \newenvironment{pydatabuffermlvalue}\%
476  {\VerbatimEnvironment
477  \pydatabuffermlvalueopen
478  \begin{VerbatimBuffer}[bufferer=\pydatabuffermlvalueline]}\%
479  {\end{VerbatimBuffer}}
480  \pydatabuffermlvalueclose}
```